



CIBOPLUS/B - Lincat CiBO+ High Speed Oven -Black

CiBO+ utilises a unique tri-heat technology. Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency. Cooking in seconds, not minutes without compromise on the quality of food delivered.

- CiBO+ utilises a unique tri-heat technology.
 Microwave, TurboAir, and ContactBase, combined deliver unrivaled quality, speed, and consistency.
- TurboAir distributes high-speed airflow in a cylindrical pattern over the food for fast even colouration.
- Adjustable temperature control, rapid heat up, and direct cooking on the toughened neo ceram ContactBase delivers perfect base colouration and crispiness - there are no soggy bottoms with CiBO+!
- A rear launched microwave with a stirrer brings speed to the cooking process.
- Achieve the same high quality results for every order. Simply press any one of the 40 menu items on the 0Pad touch screen and the oven will do the rest.

- Easily customise the position of menu items or recipe settings to suit your business with Touch & Change. Just touch what you want to change.
- 395mm x 665mm compact footprint with a generous sized oven. CiBO+ can fit anywhere yet still deliver a 12" pizza.
- No installation required plug- in and cook.
- Utilise non-traditional spaces with ventless technology.
- Antimicrobial protection reduces the spread of viruses on touch points

Specifications

Summary		Power and Performance	
Brand	Lincat	Total Power kW	3
Range	CiBO+	Temperature Range °C	30-280
Series	CiBO+	IP Rating	IP23
Power Type	Electric	Cooking Area (Width x Depth) mm	340 × 340
Unit Type	Counter-top	Temperature Control	Electronic
Available in UK Only	No	Oven Rating kW	2.7
UK Warranty	2 Years Parts and Labour Warranty	Microwave Power Watts	1,000
Export Warranty	Contact your local dealer		
GTIN	5056105123569		

GTIN	Contact your local dealer 5056105123569			
Key Specifications		Capacity		
Heated Base	Yes	Gastronorm Capacity	GN2/3	
		Pizza Capacity	1 x 12"	
		Capacity Litres	23	
Weights and Dimensions		Supply Connections		
Unit Height (External) mm	640	Requires Installation	No	
Unit Width (External) mm	395	Requires Electrical Supply	Yes	
Unit Depth (External) mm	728	UK 3 Pin Plug	Yes	
Height (Internal) mm	195	Requires Hardwiring	No	
Width (Internal) mm	340	Electrical Supply Rating Watts	3,000	
Depth (Internal) mm	340	Single Phase Amps	13	
Net Weight Kg	52	Single Phase Voltage	230	





Shipping

Packed Weight Kg65Packed Height cm87.5Packed Width cm50Packed Depth cm84

Available Accessories

CIBO/ETMulti-tray for CiBO OvensCIBO/TTTeflon Tray for CiBO OvensLT02Paddle for CiBO+ Ovens

 LTH01
 Magnetic Paddle Hanger for CiB0+ Ovens

 NSBT23
 Non-stick Baking Tray for CiB0+ Ovens

OC01 CiBO+ Sparkle Oven Cleaner
OS01 CiBO+ Protect Oven Shield
SH136 Wire Rack for Cibo Ovens


SK05 Moveable Stacking Stand, with front lock castors for CiBO+ Ovens


TFS05 Teflon Sheet for Cibo Ovens [300mm x 300mm]


Technical Picture













Lincat Limited

Whisby Road,

Lincoln, LN6 3QZ,

United Kingdom

Company No: 2175448

A member company of

Customer Care

Tel: +44 1522 875500

Email: care@lincat.co.uk

Export Customers

Tel: +44 1522 875536

Email: export@lincat.co.uk

Opening Hours

Monday - Friday:

8.30am - 5pm